

# PowerLite® 1760W

MULTIMEDIA PROJECTOR



# Brilliant widescreen performance in a slim ultraportable.

The EPSON® PowerLite 1760W features native WXGA (1280 x 800) resolution and 2600 lumens color/white light output¹ — must-haves for delivering HD video content or high-resolution images from your widescreen notebook. Connecting is simple with USB Plug 'n Play instant setup. Automatic vertical keystone correction makes setup easy. The PowerLite 1760W is also equipped with a UHE lamp that lasts up to 4000 hours.² You get amazing performance, ease of use and brilliant output — all from one ultra-thin projector.

**Lightweight and travel friendly** — thin as a laptop, weighs just 3.7 lb

**Brilliant widescreen performance** — 2600 lumens color/white light output;<sup>1</sup> native WXGA (1280 x 800) resolution (16:10)

Flexible connectivity — USB Plug 'n Play — Windows® and Mac® compatible; HDMI input

**Wireless capable** — use the optional wireless LAN module to wirelessly project content from a computer or access a network to monitor and control the projector

**PC-free presentations** — simply insert a USB memory device and project

# PowerLite® 1760W MULTIMEDIA PROJECTOR

### The best-selling projectors in the world.

Epson understands business and education and has a solution no matter what your situation. Built with image quality and reliability in mind, EPSON projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors to ultra-short-throw and all-in-one solutions, Epson has the model made for you.




#### 3LCD technology — for quality and color that's beyond amazing

- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors3
- Over 20 years of road-tested reliability built into every projector







#### **Bright light output**

- 2600 lumens color light output and 2600 lumens white light output1
- Bright, balanced, colorful images
- Incredible image quality and performance to meet your expectations
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)







High color light output

Low color light output

Actual photographs of images taken from two competing projectors run in default mode. Price, resolution and brightness (white light output) are the same for both projectors.

#### Ultraportable design





#### Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com



#### **Eco Features**

- Energy-efficient 3LCD light engine
- RoHS compliant
- Designed to be recycled4
- Epson America, Inc. is a SmartWay<sup>SM</sup> Transport Partner<sup>5</sup>





## **USB** Plug 'n Play instant setup — compatible with Windows and Mac

- No more computer function keys or bulky VGA cables
- Just plug in a standard USB cable and instantly project
- Instantly view images on both the screen and your computer; one standard USB cable does it all!

#### Fast, easy setup and control

- Automatic vertical keystone correction makes setup and placement a snap
- Instant Off® no cool down time required, so it's ready to shut down when you are
- A/V Mute Slide control your presentation; it's right at your fingertips
- Sleep Mode set from 1 to 30 minutes to save energy when the A/V Mute Slide is closed or no signal is detected
- 1.2x optical zoom offers great positioning flexibility to fit large or small rooms
- Direct Power On/Off power the projector on and off with the flip of a wall switch

# Convenient web remote control feature (with optional wireless LAN card)

- Virtual projector remote control via a web browser (works when projector is connected to the network)
- Control power on/off, source, volume, page up/down functions and more from your computer
- Supports multiple web browsers (Windows and Mac compatible)
- No special applications or software necessary

#### Quick reference — choose the right model

PowerLite Model	PowerLite 1750	PowerLite 1760W	PowerLite 1770W	PowerLite 1775W
Native Resolution	XGA	WXGA	WXGA	WXGA
Light Output (Color/White)	2600/2600¹	2600/2600¹	3000/3000¹	3000/3000¹
Weight	3.7 lb	3.7 lb	3.7 lb	3.8 lb
USB	<b>v</b>	<b>v</b>	<b>v</b>	<b>v</b>
HDMI		V	V	V
Horizontal Keystone	Manual	Manual	Manual	Auto
Vertical Keystone	Auto	Auto	Auto	Auto
Auto Screen Fit				~
Wireless Networking		Optional	Optional	Included
Quick Connect Wireless via USB Key		Optional key and wireless LAN card required	Optional key and wireless LAN card required	Included

#### **PowerLite 1760W Features**

 Wireless capabilities — with the optional Quick Connect wireless USB key and optional wireless 802.11 b/g/n LAN card

**EPSON** 

- HDMI connectivity makes connecting to HDMI devices a snap
- Added features, no added cost built-in closed captioning capabilities and 1 W speaker
- Carrying case included for easy portability and protection when stored
- Message broadcasting with optional wireless LAN card broadcasts customized images/alerts over the network for announcements or instructions
- Filters to protect your investment with easy access for hassle-free maintenance

#### **Protect your investment with Epson**

Because we know how important it is to protect your valuable investment, EPSON 3LCD projectors have a long-lasting filter that gives you added peace of mind. The filter helps limit the amount of dust that can settle on the internal components and reduce the lamp life or dull the image. When the time comes to clean or change the filter, just open the door, vacuum the dust off or replace the filter, close the door, and you're done.

# WXGA (1280 x 800), 16:10 resolution — for remarkable detail and widescreen convenience

The PowerLite 1760W, with WXGA resolution, is ideal for use with the latest-generation widescreen computers and great for projecting high-definition content. Its native 16:10 aspect ratio allows you to fully utilize the capabilities of your widescreen computer.

SVGA

800 x 600 Meets basic projection needs



1024 x 768 Ensures sharper detail



1280 x 800 Offers higher quality and is ideal for widescreen (16:10) display



### PowerLite® 1760W

#### Multimedia Projector

**Product Name Product Code** PowerLite 1760W 0 10343 87994 2 V11H361120 Genuine EPSON Lamp V13H010L65 0 10343 88054 2 Replacement Air Filter V13H134A31 0 10343 88053 5



#### **Specifications**

**Projection System** 

EPSON 3LCD, 3-chip technology **Projection Method** 

Front/rear/ceiling mount

**Driving Method** 

**EPSON Poly-silicon TFT Active Matrix** 

**Pixel Number** 

1,024,000 dots x 3 (1280 x 800) LCDs

Color Light Output<sup>1</sup>

2600 lumens

White Light Output<sup>1</sup>

2600 lumens (ISO 21118 standard)

**Aspect Ratio** 

16:10 (supports 4:3 and 16:9)

**Native Resolution** 

1280 x 800 (WXGA)

Resize

640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA),

1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1600 x 1200 (UXGA)

**Lamp Type** 205 W UHE

Lamp Life<sup>2</sup>

4000 hours (ECO Mode)

4000 hours (Normal Mode)

**Throw Ratio Range** 

1.04 - 1.26

Size (projected distance)

30" - 300" 16:10 (2.2' - 26.8')

**Keystone Correction (automatic)** 

Vertical: ± 30 degrees (± 45 manual) Horizontal: ± 30 degrees manual

**Contrast Ratio** 

Up to 2000:1

**Color Reproduction** 16.77 million colors

Plug 'n Play

Projector is compatible with PC and

Mac computers

#### **Projection Lens**

Type

Manual focus/Manual zoom

F-number

1.58 - 1.7

**Focal Length** 

13.52 - 16.22 mm

**Zoom Ratio** Optical zoom 1.0 - 1.2

**Other** 

**Display Performance** 

NTSC: 480 line

PAL: 576 line

(depends on observation of the

multi-burst pattern)

Input Signal

NTSC/NTSC4.43/PAL/M-PAL/N-PAL/

PAL60/SECAM SDTV/HDTV

Interfaces

Computer/component video:

Mini D-sub HD 15 pin x 1

Composite video: RCA x 1

Audio in: Mini stereo x 1

USB connector: Type B x 1 (USB display with

audio and mouse/keyboard control)

Type A x 1 (for USB memory device)

Wireless port 802.11 b/g/n (optional module

sold separately)

**Audio Output** 

1 W mono speaker

**Audio Signal** 

500mV rms/47K ohm **Operating Temperature** 

41 ° to 95 °F (5 ° to 35 °C)

**Power Supply Voltage** 

 $100 - 240 \text{ V} \pm 10\%$ , 50/60 Hz AC

**Power Consumption** 

293 W (Normal Mode)

212 W (ECO Mode)

7.4 W Standby (Communication On)

0.38 W Standby (Communication Off)

**Fan Noise** 

40 dB (Normal Mode)

30 dB (ECO Mode)

Security

Kensington®-style lock provision

#### Dimensions (W x D x H)

Including feet: 11.5" x 8.3" x 2.1" Excluding feet: 11.5" x 8.3" x 1.7" Weight: 3.7 lb

#### **Remote Control**

**Features** 

Power, source search selection, computer, video, A/V mute, freeze, user ID, auto, aspect, color mode, num, page up and down, E-zoom, volume, help, menu, enter, esc and pointer functions

**Operating Angle** 

Right/left:

Front: ± 60 degrees

Rear: ± 30 degrees

Upper/lower:

Front: ± 30 degrees

Rear: ± 30 degrees

**Operating Distance** 19.7 ft

#### **Support**

The EPSON Connection<sup>SM</sup>

Pre-sales support U.S. and Canada 800-463-7766

Internet website www.epson.com

**Service Programs** 

Two-year limited warranty, EPSON Road Service program, PrivateLine® dedicated toll-free support (U.S. and Canada only) and 90-day limited

lamp warranty

What's In The Box

PowerLite 1760W projector, power cable, computer cable (VGA), projector remote control with batteries, USB cable, audio adapter, soft carrying case, user manual CD, Quick Setup Sheet, PrivateLine support card, registration card, password protection sticker and security screw

#### **Accessory Part Numbers**

Genuine EPSON lamp V13H010L65 Replacement air filter V13H134A31

Image presentation camera (ELPDC06) V12H321005 DC-10S document camera ELPDC10S

DC-11 document camera

(ELPDC11) V12H377020 Replacement wireless LAN module V12H418P12

Quick Connect wireless USB key V12H005M08 Component to VGA video cable ELPKC19 Duet<sup>™</sup> portable projector screen ELPSC80

ES3000 portable projector screen V12H002S3Y Replacement remote control 1507996

#### **Packaging Specifications**

PowerLite 1760W

Dimensions 11.2" x 17.1" x 4.8" (W x D x H)

Weight 8.1 lb

Genuine EPSON Lamp

Dimensions 5.1" x 5.5" x 5.6" (W x D x H) Weight 0.6 lb

Master Carton Dimensions 11.5" x 26.1" x 6.8" (W x D x H)

Weight 7.2 lb

Units Per Master Carton 10 Replacement Air Filter

Dimensions 3.5" x 4.8" x 1.9" (W x D x H)

Weight 0.1 lb Master Carton

Dimensions 7.3" x 10.1" x 5.7" (W x D x H)

Weight 1.4 lb

Units Per Master Carton 10

- Color and white light output will vary depending on mode selected. White light output measured using ISO 21118 standard.
- Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time
- 3 Data source: ProjectorCentral.com Jan. 2011. Average of 1038 shipping models for which manufacturers provided lumens and total power data, all resolutions and brightness levels.
- See our website for convenient and reasonable recycling options at www.epson.com/recycle 5 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Epson America, Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

**Epson Canada Limited** 

185 Renfrew Drive, Markham, Ontario, L3R 6G3

www.epson.com www.epson.ca

EPSON, Instant Off and PowerLite are registered trademarks, EPSON Exceed Your Vision is a registered logomark, and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PrivateLine is a registered trademark, Duet is a trademark and EPSON Connection is a service mark of Epson America, Inc. Mac is a trademark of Apple Inc., registered in the U.S. and other countries. SmartWay is a service mark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2011 Epson America, Inc. CPD-32561R3 10/11