

# HURON ULTRA





### HURON ULTRA™



OUR HURON CHAIRS HAVE BEEN REDESIGNED, AND WE NOW OFFER YOU THE HURON ULTRA™ LINE OF OFFICE SEATING. WITH UPGRADED FOAM, ARMS AND BASE, THESE CHAIRS NOT ONLY OFFER GREAT VALUE, BUT EXCEPTIONAL COMFORT AND STYLE.



#### **MULTI TILTER CHAIR FEATURES:**

- Infinite Tilt Lock Control
- Side Activated Sliding Seat Depth Adjustment
- Adjustable Seat Angle (forward & reward)
- Seat Height Adjustment
- Back Angle Adjustment
- 3.25" Concealed Ratchet Back Height Adjustment
- Height & Width Adjustable "T" Arms with 3B Arm Caps
- Spider Base
- Available in High & Mid Back
- Available in a Wide Range of Fabric Options



#### TASK & DRAFTING CHAIR FEATURES:

- Seat Height Adjustment
- Fixed Back
- Manual Seat Depth Adjustment
- Spider Base
- Arm & Armless Versions
- Height & Width Adjustable "T" Arms with 3B Arm Caps—Arm Version Only
- Available in a Wide Range of Fabric Options



## HURON ULTRA

w

IN

D

IN

20.5 23.5 38.0

21.0 23.5 48.0

Н

IN

DESCRIPTION DIMENSIONS w D Н WT CU IN IN IN LB FT



2840-3 24.0 25.0 42.0 64.0 10.5

High Back Multi-Tilter Features: A B C D E F G H M N Q S



DESCRIPTION

2841-6 24.0 23.5 38.0 Medium Back Task with Arms

Features: C E H M N Q

Medium Back Task

Features: C E M N

2843-6

2848-6

25.0 36.0 2841-3 24.0 61.0 10.5

Medium Back Multi-Tilter Features: A B C D E F G H M N Q S



Medium Back Drafting Chair, Armless Features: C E M N



Tension Adjustment



Contoured Cushions



Chair Tilt Lock



Width Adjust Arms



Seat Height

Center-Tilt

Movement



Back/Lumbar Height



Seat Depth



Forward



Seat Angle



Back Angle



Arm Height



DIMENSIONS

43.0 9.25

37.0 9.25

47.0 9.25

CU

FT

WT

LB

Waterfall Seat Edge

Basics exclusive chairs are tested to meet or exceed ANSI / BIFMA seating standards. These test procedures evaluate seating for function, safety, durability, and structural adequacy. Your assurance of a quality product. As a result all Basics exclusive seating products proudly carry a Limited Lifetime Warranty. We have made every effort to ensure accuracy. Specifications are subject to change 2012.









