



Do more colour business printing and in-house marketing with the powerful HP Color LaserJet CP2020 Printer series. Easy to use, with fast speeds up to 20 ppm A4 black and colour, and exceptional colour print quality with HP ColorSphere toner.



HP Color LaserJet CP2025 Printer



HP Color LaserJet CP2025n Printer



HP Color LaserJet CP2025dn Printer

Best suited for unmanaged small and medium-sized business environments, where highly productive personal users and small workteams (from 1 to 8 users) need a fast, reliable colour printer to create professional-looking sales and marketing materials, and general office documents on demand.

Make an impact with professional quality colour documents that promote your business.

Promote your business with professional-looking documents created in-house with improved formula HP ColorSphere toner and Original HP paper. Proven all-in-one HP cartridge design delivers consistent results. See the difference with HP ColorSphere toner: get greater clarity with high gloss, a broader range of bright colours and realistic photo quality. HP ImageREt 3600 enables exceptional colour quality on a variety of media. Do more from the desktop thanks to an innovative, space-saving design.

Achieve your goals with this fast, powerful printer which is both easy to use and maintain.

See results quickly with up to 20 ppm in black and colour. Cut down waiting time: HP Instant-on Technology delivers a fast first page out even from low power mode. Print black pages on your colour laser for the same cost as on your black-and-white laser¹. Save time and money by proofing documents with HP Print View software before you print them. Replace cartridges quickly and simply via one easy-access door. Easily see printer status and navigate the intuitive two-line back-lit control panel.

Get custom business printing in-house, when you need it, with this reliable colour LaserJet printer.

With free HP marketing tools you can easily create high-impact marketing materials on your own, without a design agency or copy shop. Assess costs beforehand for better project planning and decision-making with the HP Print Cost Estimator. Access printer features and status reports for this printer through a single print driver. Rely on dependable network printing with built-in Ethernet/Fast Ethernet networking for easy sharing. Conserve paper and cut costs with automatic two-sided printing².

¹ Compared to HP LJ P2050 printer series, using HP CE505A
Assumes at least 30% of total pages printed in colour, average job length 3 pages
Actual yields and costs vary considerably depending on images, number of colour pages and other factors.

² Standard with the CP2025dn.

Technical specifications

Print technology	In-line colour laser printing technology		
Print speed	Exact speed varies depending on the system configuration, software application, and document complexity.		
Processor	540 MHz, Motorola Coldfire® V5x		
Memory	128 MB, Expandable to 384 MB through addition of 256 MB DDR2 in the single available slot.		
Print resolution	Black: Up to 600 x 600 dpi Colour: Up to 600 x 600 dpi		
Print quality	HP ImageREt 3600		
Printer languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation		
Typefaces/fonts	84 scalable TrueType fonts		
Duty cycle (monthly, A4)	Up to 40000 pages		
Recommended Monthly Page Volume	750 to 2000		
Print margins	top: 4.23 mm, left: 4.23 mm, right: 4.23 mm, bottom: 4.23 mm		
Media handling	Input	Capacity	Weight
	Tray 1	sheets: 50, transparencies: 50, envelopes: 10	60 to 176 g/m ² (up to 220 g/m ² with HP Color Laser Glossy Photo papers)
	Tray 2	sheets: 250, envelopes: 10	60 to 163 g/m ² (up to 176 g/m ² with postcards, up to 220 g/m ² with HP Color Laser Glossy Photo papers)
	Tray 3	sheets: 250, envelopes: 10	60 to 163 g/m ² (up to 176 g/m ² with postcards, up to 220 g/m ² with HP Color Laser Glossy Photo papers)
	Duplex printing:	CP2025:Manual (driver support provided); CP2025n:Manual (driver support provided); CP2025dn:Automatic (standard)	
	Output:	Sheets: Up to 150. Envelopes: Up to 20. Transparencies: Up to 50	
Media types	Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes		
Interface and connectivity	CP2025:Hi-Speed USB port; CP2025n:Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX; CP2025dn:Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX		
Network Capabilities	Via On-board internal networking		
Operating systems compatibility	Microsoft® Windows® 2000, XP Home, XP Professional, Server 2003, XP Media Center, XP Professional x64; Windows Vista®; Mac OS X v10.2.8, v10.3, v10.4 or higher Optional: OS/2, UNIX, Linux, http://www.hp.com/support/LJCP2020series		

Ordering information

CB493A	HP Color LaserJet CP2025 Printer, power cable, CD (user guide, printer software), getting started guide, output tray extension, 4x HP Color LaserJet Introductory Print Cartridges (Cyan, Magenta, Yellow, Black) with HP ColorSphere toner with up to 1,200 pages yield (in accordance with ISO/IEC 19798)
CB494A	HP Color LaserJet CP2025n Printer, power cable, CD (user guide, printer software), getting started guide, output tray extension, 4x HP Color LaserJet Introductory Print Cartridges (Cyan, Magenta, Yellow, Black) with HP ColorSphere toner with up to 1,200 pages yield (in accordance with ISO/IEC 19798)
CB495A	HP Color LaserJet CP2025dn Printer, power cable, CD (user guide, printer software), getting started guide, output tray extension, 4x HP Color LaserJet Introductory Print Cartridges (Cyan, Magenta, Yellow, Black) with HP ColorSphere toner with up to 1,200 pages yield (in accordance with ISO/IEC 19798)

Service & support

UL388E	HP 3 Year Next Business Day Onsite Color LaserJet CP2025 Hardware Service
UL382E	HP 3 Year Return to Depot Color LaserJet CP2025 Hardware Service
UL392PE	HP 1 Year Post-Warranty Next Business Day Onsite Color LaserJet CP2025 Service
UL389PE	HP 1 Year Post-Warranty Return to Depot Color LaserJet CP2025 Service
H4513E	HP Install Inkjet/personal LaserJet Service
H3110E	HP Network Install Inkjet/Personal LaserJet Service.

Services may vary by country, always check the availability in the Care Pack Central tool at www.hp.com/go/cpc



Technical specifications

Network operating systems compatibility	Microsoft® Windows® 2000, XP Home, XP Professional, XP 64-Bit, Server 2003/2008; Windows Vista®; Mac OS X v10.2.8, v10.3, v10.4, v10.5; RED HAT/SUSE Linux 6.x or higher; Novell® NetWare 3.2 or higher (NDPS-TCP/IP only); Citrix® MetaFrame; Windows® Terminal Services; (note: not all protocol and operating system configurations are supported. For more information, go to http://www.hp.com/support/net_printing), optional: Microsoft® Windows® XP Professional x64, XP Tablet PC, Server 2003 (32/64 bit)
Minimum system requirements	Microsoft® Windows® 2000, Server 2003: any Pentium® II processor or higher, 64 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; (print driver only). Microsoft® Windows® XP-32 Home, XP-32 Professional: any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher, CD-ROM drive, USB port; (full install). Microsoft® Windows® XP:x64: any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; (print driver only). Windows Vista®-32 Home, -32 Professional: 1 GHz processor, 512 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; (full install)., Mac OS X v10.2.8, v10.3, v10.4 or higher; PowerPC G3, G4, G5, or Intel® Core processor; 150 MB available hard disk space; CD-ROM drive; USB port
Software	Print driver (HP PCL 6), Toolbox configuration utility, SNP alerts, DTSS, media educator video, and installation software on CD-ROM.
Control panel	Backlit, 2-line, 16-character front panel display, 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back); 2 LEDs (Attention, Ready)
Printer management	Toolbox (recommended install) or SNP (express install)
Upgradability	Memory upgradeable to 384 MB, optional 250-sheet tray, one additional tray may be added
Power	Requirements: Input voltage depending on product option either 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A or 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Consumption: 445 watts maximum (active), 18 watts maximum (ready), 6.7 watts maximum (sleep), 0.48 watts maximum (off)
Dimensions (w x d x h)	Out of package: CP2025:405 x 454 x 322 mm; CP2025n:405 x 454 x 322 mm; CP2025dn:405 x 484 x 322 mm Packaged: CP2025:600 x 500 x 479 mm; CP2025n:600 x 500 x 479 mm; CP2025dn:600 x 500 x 515 mm
Weight	Out of package: CP2025:22.7 kg; CP2025n:22.7 kg; CP2025dn:23.9 kg Packaged: CP2025:26.4 kg; CP2025n:26.4 kg; CP2025dn:28.2 kg
Operating environment	Operating temperature: 15 to 30° C. Recommended operating temperature: 15 to 27° C. Operating humidity: 10 to 80% RH. Recommended operating humidity: 20 to 70% RH. Storage temperature: -20 to 40° C. Storage humidity: 10 to 95% RH. Noise level per ISO 9296: Sound power: LwAd6.6 B(A) (printing at 20 ppm), 3.1 B(A) (ready). Sound pressure: LpAm53 dB(A) (active), inaudible (ready)
Product certifications	Safety certifications: IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries EMC certifications: CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3-3: 1995+A1, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
Warranty	One year limited warranty. Warranty and support options vary by product, country and local legal requirements. Please check www.hp.com/go/cpc

Ordering information

Accessories	
CB500A	HP Color LaserJet 250-sheet Input Tray
CB423A	HP 256 MB DDR2 144-pin DIMM
Laser Printer Supplies	
CC530A	HP Color LaserJet CC530A Black Print Cartridge Average continuous Black Cartridge yield 3,500 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CC531A	HP Color LaserJet CC531A Cyan Print Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 2,800 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CC532A	HP Color LaserJet CC532A Yellow Print Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 2,800 standard pages. Declared yield value in accordance with ISO/IEC 19798.*
CC533A	HP Color LaserJet CC533A Magenta Print Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 2,800 standard pages. Declared yield value in accordance with ISO/IEC 19798.*

* Actual yields vary considerably based on images printed and other factors.

For a complete list of supplies, accessories and services, please refer to <http://www.hp.com>

<http://www.hp.com/uk>



© Copyright 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP Products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 05/11 4AA1-9986EEE

