

Laminating

MACHINES & ACCESSORIES



Swingline GBCTM **WORLD'S # 1** LAMINATION BRAND

Why *Swingline*™GBC®?

Time and again you asked for fast warm-up times, fast laminating speeds, and easier to use machines that combine what you want and what you need in lamination. From the ground up, Swingline™GBC® created an all new lamination line. We streamlined our products and the lamination process, incorporating cutting-edge technology into a sleek, modern design. Delivering unmatched speed and simplicity, Swingline™GBC® makes lamination **faster and easier than ever before.**

Super Fast.

Super Easy.



5000L shown

Intelligent™ Pouch Select

Laminating is super fast and super easy with the state-of-the-art Intelligent™ Pouch Select. Innovative technology allows laminators to operate automatically with only minimal user assistance which means the best possible quality and consistent results. Insert the loaded pouch, the machine automatically detects pouch thickness and instantly adjusts to the optimal settings.

Feature available on Fusion™ 5100L and 5000L

Intelligent™ Status Alert

Take the fear out of laminating with Intelligent™ Status Alert. If a jam occurs, the laminator automatically stops and alerts the user by beeping until the pouch is removed; letting users recognize and correct jams sooner than ever before.

Feature available on Fusion™ 5100L, 5000L, 3100L and 3000L

Frequent Usage / Shared



5100L



5000L

Leading Productivity & Advanced Technology

The Fusion™ 5100L and 5000L are top of the line pouch laminating machines, designed to meet the demands of frequent laminating and to exceed your expectations in both speed and ease of use.

Super Fast. Performing at lightning fast speeds, these machines blow away the competition to laminate 10 documents in 4 minutes or less. Get more done in less time with the ability to start feeding a new pouch the instant another finishes.

Super Easy. These smart laminating machines automatically detect pouch thickness and instantly adjust to the optimal lamination settings for your document. This innovative technology ensures high quality, expert results every time.



Fusion™ 5100L 3381650030

- 60 second warm-up
- 47" per minute
- 1.5*, 3, 5, 7, and 10 mil
- 12" max document width
- Auto pouch thickness detection
- Auto jam detection and removal
- Cold lamination setting option
- Premium LCD Screen

Fusion™ 5000L 3381650029

- 60 second warm-up
- 39" per minute
- 3, 5, 7, and 10 mil
- 12" max document width
- Auto pouch thickness detection
- Auto jam detection and removal
- Cold lamination setting option

*With a carrier

Moderate Usage / Personal or Shared



3100L



3000L

Enhanced Speed & Improved Convenience

The Fusion™ 3100L and 3000L laminating machines are valued tools in any mid-size office with daily lamination needs. These laminators are quick, feature clear-cut user interfaces and are the best in their class.

Super Fast. With a 60-90 second warm-up time these laminators show speed. Ready to use at virtually a moment's notice, the 3100L and 3000L inspire you to laminate more as pouches fly through the machine.

Super Easy. Smooth, professional lamination results are super simple with straightforward, touch button setting selection. The automatic jam detection with audible alert also takes the complication out of pouch jams.



Fusion™ 3100L 3381650028

- 60 second warm-up
- 31" per minute
- 3 mil, 5 mil and 7 mil
- 12" max document width
- Touch button interface
- Auto jam detection
- Cold lamination setting option

Fusion™ 3000L 3381650027

- 90 second warm-up
- 19" per minute
- 3 mil or 5 mil
- 12" max document width
- Touch button interface
- Auto jam detection

Occasional Usage / Personal



1100L



1000L

Affordable Performance & Superior Simplicity

The Fusion™ 1100L and 1000L For the home or small office, the Fusion™ 1000L and 1100L laminators are the perfect choice. They are compact, stylish and easy to use for occasional or creative laminating needs.

Super Fast. With warm-up times of 5 minutes or less, these machines are able to laminate more documents in one hour than comparable machines. A sensible, enhanced laminating solution, the 1100L and 1000L will help you protect and preserve documents.

Super Easy. Practically effortless to operate, all you need to do is turn these laminators on. Start laminating as soon as the ready light turns green!



Fusion™ 1100L 3381650026

- 4 minute warm-up
- 13" per minute
- 3 mil or 5 mil
- 9" max document width
- Jam release button

Fusion™ 1000L 3381650025

- 5 minute warm-up
- 13" per minute
- 3 mil or 5 mil (up to 4" x 6" items)
- 12" max document width



Inspire™ Laminator

3381670185

- 7 minute warm-up
- 10" per minute
- 3 or 5 mil (up to 4" x 6" items)
- Laminates documents up to 9" wide

How to Choose

Size - Purchase a machine that can laminate your largest items, since it can always laminate smaller ones. Mounting boards of any size must be laminated on select machines. Banners require roll laminators.

Frequency - Don't underestimate your usage. Laminators are categorized by usage level and office size to best support your needs.

- **Frequent usage** - Ideal for professional services and large offices.

Laminators in this category provide:

- Fastest speed
- Maximum versatility
 - Laminates all pouch thicknesses
 - Accepts 1.5 to 10 mil pouches
- Most durable
- Professional results

- **Moderate usage** - Ideal for medium to large offices.

Laminators in this group offer:

- Quick speed
- Laminates most pouch thicknesses - 3 to 7 mil
- Durable

- **Occasional usage** - Ideal for small and home offices.

Laminators in this set give:

- Modest speed
- Laminates the most common pouch thicknesses - 3 to 5 mil
- Lighter duty
- Good for crafting, badges and other speciality uses



Feature Comparison

How do I know which laminator to choose?

The table below highlights the distinguishing factors of each pouch laminator. First determine the approximate use for your laminator. How many people will be using it, and how often? Next, compare features to find the best machine for your needs.

	FREQUENT USAGE / SHARED		MODERATE USAGE / PERSONAL OR SHARED		OCCASIONAL USAGE / PERSONAL		
Model	5100L	5000L	3100L	3000L	1100L	1000L	Inspire™
Item Number	3381650030	3381650029	3381650028	3381650027	3381650026	3381650025	3381670185
Max Document Width	12"	12"	12"	12"	9"	12"	9"
Warm-Up time	60 sec	60 sec	60 sec	90 sec	4 min	5 min	7 min
Pouches / 10 min**	40	33	26	16	10	10	9
Max Pouch Thickness (mil)	10 mil***	10 mil	7 mil	5 mil	5 mil	3 mil*	3 mil*
Easy Set Up	✓	✓	✓	✓	✓	✓	✓
Visual Ready Alert	✓	✓	✓	✓	✓	✓	✓
Audible Ready Alert	✓	✓	✓	✓	✓		
Manual Release/Reverse	✓	✓	✓	✓	✓		
Intelligent™ Power Off	✓	✓	✓	✓	✓		
Touch Control	✓	✓	✓	✓			
Accurate Feed Guides	✓	✓	✓	✓			
Intelligent™ Jam Alert	✓	✓	✓	✓			
Intelligent™ Jam Auto Reverse	✓	✓					
Interactive User Display	✓	✓					
Intelligent™ Pouch Detection	✓	✓					
Intuitive Menu Selection	✓						
Professional Controls	✓						
Warranty	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs	2 yrs	90 days

*Also accepts 5 mil (up to 4x6 photo) / ** After warm-up is complete; letter size pouches / *** Also 1.5 mil capable

GBC® Pinnacle 27 EZload™ Thermal Roll Laminator

Thermal roll laminator with EZload™ simplifies film loading and provides quick and easy laminating. Warms up in just 6-9 minutes to laminate items up to 27" wide with NAP I or II film up to 3 mil thick. Built-in horizontal trimmer helps you turn out clean and polished lamination every time and the control panel includes a handy footage counter.



- Thermal roll laminator with EZload™ technology eliminates film loading mistakes
- Use with Pinnacle 27 EZload™ Roll Film up to 3 mil thick
- Variable speed, laminates up to 12 feet per minute
- Additional features include audible alerts, footage counter, temperature readout, auto shutoff and motorized reverse



GBC® Ultima™ 35 EZload™ Thermal Roll Laminator

Ultima 35™ desktop roll laminator delivers high quality results and features EZload™ technology. EZload™ roll film can only be loaded one way, eliminating accidental upside down film loading and costly service calls.

- Thermal roll laminating machine with EZload™ technology eliminates film loading mistakes
- Fixed 36" per minute laminating speed
- Built-in trimmer, reverse and auto shut off functions
- Compatible with 1.7 to 5 mil EZload™ roll film



Feature Comparison

Model	Pinnacle 27 EZload™	Ultima 35™ EZload™
Item Number	3381609010	3381005451
Entry width	27"	12"
Film type	NAP® I and II	NAP® II
Film thickness	1.2 mil - 3.0 mil	1.7 mil - 10.0 mil
Warm-up time	6 minutes	1 minute
Auto shut-off	✓	✓
Integrated trimmer	✓	✓
Lamination speed	12 ft. per minute	3 ft. per minute
Temperature setting	Variable	Variable
Other	AccuTherm heating technology, footage counter, LED ready light with audible alert	LED ready light
Dimension	21" x 35.75" x 13.5"	18.11" x 11.14" x 16.92"
Manufacturer warranty	2 year limited warranty / 2 yrs on-site service	2 year limited warranty / 2 yrs on-site service

101 Things to Laminate

Business

- Awards
- Blueprints
- Business cards
- Certifications
- Counter and window signs
- Door and window signs
- Banners for advertising
- "Help Wanted" signs
- Inside window signs
- Policies and procedures
- Phone lists
- Point-of-purchase displays
- Pre-printed labels and signs
- Presentation cover sheets
- Safety signs
- Sell sheets
- Special event posters
- Event posters
- Brochures
- Catalog covers
- Charts/graphs
- Displays
- Event badges
- Flip charts
- ID badges
- List of vendors
- Marketing pieces
- Photos
- Maps
- Posters
- Price lists
- Sale signs
- Signs
- Store hours

Education

- Artwork
- Bookmarks
- Class schedules
- Emergency contact lists
- Flash cards
- Multiplication tables
- Bulletin board aids
- Periodic table
- Special event posters
- Science projects
- End of the year projects
- Banners
- Maps
- Classroom aids
- Syllabus
- Game boards
- ID badges
- Handouts
- Photos
- Safety signs
- Reading lists
- Wall calendars

Restaurant

- Table number cards
- "Help Wanted" signs
- Training information
- Mixed drinks instructions
- Pictures of featured entrees
- Special event posters
- Door signs
- Featured specials
- Menus
- Special offer signs
- Store hour signs
- Instruction sheets

Crafts/home use

- Babysitter instructions
- Certificates of achievement
- Emergency numbers
- Craft projects
- Delivery menus
- Household chore lists
- TV channel listings
- Sports schedules
- Magazine articles
- Household rules
- Birth certificates
- Marriage certificates
- Neighborhood phone lists
- Luggage tags
- Bookmarks
- Artwork
- Diplomas
- Photos
- Name tags
- Drawings
- Driving maps
- Greeting cards
- Recipe cards
- Report cards
- Placemats

Manufacturing

- Equipment instruction labels
- Minimum wage posters
- Fire and evacuation routes
- Warning and caution labels
- Storage shelf identification
- Industrial machine labels
- Health & safety posters
- Operating instructions



LAMINATION SUPPLIES



Thermal Pouches

No Machine
Required Pouches

SIZE	Thickness	Pack Quantity	UltraClear™	UltraClear™ Speed Pouch	LongLife™	LongLife™ Speed Pouch	RetrieveIt™	Clear Economy	SelfSeal™ Nomistakes™	SelfSeal™	Cleaning/ Carrier Sheets (5pk)
Business Card	4 mil	25					3381603142				6447411258
	5 mil	25	6447402040								
		100	1346551005								
	7 mil	100	3381600928								
ID Badge	4 mil	25					3381603140				
	5 mil (Not Punched)	25	6447402042								
	5 mil (with Clip)	25	6447402109								
	7 mil	100	3381600893								
Horizontal ID Badge	8 mil (with Clip)	10								3381605007	
Government ID Badge	5 mil (Not Punched)	100	1346556005								
Luggage Tag	5 mil	25	6447402043								
		50	1346557007								
	8 mil	5								3381603428	
	10 mil	100			3381602120						
Wallet Photo	8 mil	10								6447405006	
Index Card	5 mil	25	6447402039								
4" x 6" Photo	4 mil	25					6447403139				
	8 mil	5							3381606564		
Letter	3 mil	10								3381605056	
		25	6447402035								
		50	3381604131							3381605055	
		100	3381602878	3381602087							
		200						3381606978			
	4 mil	25					6447403138				
	5 mil	100	3381602460	3381602088							
	8 mil	5							6447406563		
	10 mil	50				3381602391					
	Legal	3 mil	25	6447402036							
50			1346559003								
100			3381602880								
4 mil		25					6447403137				
5 mil		100	3381602099								
Menu	3 mil	25	6447402037								
		50	1346550123								
	5 mil	100	3381602100								
											6447411259



BLUETEK, INC phone List

Deborah Anderson	x 1367
Michael Baker	x 1986
Michelle Brooks	x 1567
Lisa Campbell	x 1583
Dan Cloud	x 1044
Matt Cooper	x 1776
Kristin Daniels	x 1499
Suri Foster	x 1000
Richard Fowler	x 1327
Evan Greenly	x 1990
Alan Lui	x 1688
George Lutz	x 1999
Emma Madison	x 1544
Geena Marcci	x 1966
Anna Olson	x 1424
John Singer	x 1144



Swingline GBC

©2014 ACCO Brands. All rights reserved. ACCO® is a registered trademark of ACCO Brands. GBC® is a registered trademark of the General Binding Corporation. Swingline™, Fusion™, Inspire™ and Intelligent™, are trademarks of ACCO Brands. ACCO Brands Customer Service: 1 800 268 3447

L423_13



swingline.com
ACCO Brands Canada Inc.
7381 Bramalea Road
Mississauga, ON L5S 1C4
CANADA